



Kioti CS2210 HST

Open ROPS Compact Diesel Tractor

Price for stock unit tractor, including hydrostatic transmission, four-wheel drive, choice of turf or R-14 tires, loader assembly and front bucket.



\$15,100.00

Optional "SMITH PACKAGE"

- Includes bolt on cutting edge: *Why would you want to have to weld a new edge on your bucket after a snowy winter scraping down the driveway??*
- Rim guard tire ballast: *We are huge believers in this product!! It transforms these tractors into safe stable material moving beasts.*
- We weld a lifting ring in the front bucket; once you have it you won't be able to live without it.
- A grease gun, full of grease.
- Delivery to your home or business along with a thorough rundown of tractor safety, preventive maintenance, and operation of your new tractor. We want you to be comfortable making the absolute most out of your new Kioti investment.

Cost \$1,025.00



Kioti CS2210 HST

☐ KM2560 Mid-Mount Mower with Mounting Kit and Mid PTO: \$4,400.00

☐ SB2465 Backhoe and subframe: \$8,900.00

Your choice of ☐ 9" Bucket ☐ 12" Bucket or ☐ 16" Bucket

☐ SB50 Snowblower and Mid PTO: \$6,600.00

☐ RT2048 48" Garden Tiller: \$2,900.00

☐ Post Hole Digger: \$1,850.00

☐ Pallet Forks: \$1,150.00

☐ 48" Box Blade: \$1,200.00

☐ CX R14 Tires

☐ CX Turf Tires

☐ Canopy Kit: \$510.00

☐ LED Light Kit: \$599.00

☐ Bolt On Cutting Edge: \$180.00

☐ 3rd Function Valve: \$1,200.00

☐ Block Heater: \$220.00

Prices noted above include installation.

**Prices on attachments and accessories are subject to change based on
manufacturer and availability.**



Kioti CS2210 HST DESCRIPTION

MAIN FEATURES

- Engine Gross Power: 24.5 hp (18.3 kW)
- PTO Type: Live
- Transmission Type: Hydrostatic
- Shuttle: Dry Single
- Tilt Wheel with Power Steering
- Illuminated Dashboard
- Comfortable Seat with Suspension
- Single Lever Joystick
- Cruise Control
- USB and Power Socket
- Twin Pedals
- Hydrostatic Transmission
- Rear PTO with adjustable three-point hitch
- High-Capacity Hydraulic Pump

FEATURES

- Premium Diesel Engine: A 21.1 hp (15.7 kW) optimized combustion diesel engine has large power output, yet low fuel consumption. Fluid service and inspection locations are easily accessible to the operator.
- Headlights: 55W lamps are the brightest in this tractor's class.
- Foldable ROPS: The standard fold-down roll bar allows you to move into low clearance areas quickly and easily.
- Control Levers: The HST with HI-LO range lever allows the tractor to overcome a wide range of load tasks. The rear PTO and mid PTO can be controlled separately or together with a simple in-line shifting lever. The height adjustment lever allows the operator to easily control the mid-mount mower grass cutting height.
- Ergonomic Operator Station: The ergonomically designed workstation places operator controls within easy reach for maximum comfort.
- Four Wheel Drive: Single-lever engaged 4WD is standard on the CS2210 tractor.
- Distinctive Hood Design: The streamlined hood design improves the visibility for the operator. A vertical opening hood allows for easy access to the air electrical
-
-
- filter, fluid service and inspection locations fuse box and components. Twin HST Pedals: Twin HST pedals offer easy forward and reverse movement with smooth engagement, acceleration and deceleration. Pedal pressure is minimized which reduces operator fatigue during long hours of use.



Kioti CS2210 HST DESCRIPTION

FEATURES

- Rear PTO and 3-Point Hitch: The rear PTO and high capacity three-point hitch can accommodate a variety of implements and attachments. The flip up PTO guard ensures easy implement attachment. The bent lower link assists with easy implement installation. Mid PTO: The standard mid PTO (2,200 rpm) allows you to use implements such as a mid-mount mower. Illuminated
- Dashboard: The dashboard illuminates when the engine is started. The digital gauge package includes tachometer, fuel and temperature gauges along with a low fuel warning lamp.

•

Engine

- Engine Model: S773L-F21
- Engine Gross Power: 21.1 hp (15.7 kW)
- Rated Speed: 3,000 rpm
- No. of Cylinders: 3
- Fuel Type: Diesel
- Displacement: 69 cu. in. (1,131 cc)
- Fuel Tank Capacity: 6.7 gal. (25.5 L)

Transmission

- Transmission Type: Hydrostatic
- Main Gear: Hydrostatic
- No. of Travel Speeds - Forward / Reverse: Infinite, 2 Range
- Min. Travel Speed of Forward w/ Ag @ Engine rated speed: 0 mph (0 km/h)
- Max. Travel Speed of Forward w/ Ag @ Engine rated speed: 10.31 mph (16.6 km/h)

Power Take-Off

- PTO Type Trans: Independent
- PTO Power: 18.6 hp (13.9 kW)
- Rear PTO Speeds(1st): 540 rpm
- Mid PTO Speeds: 2,200 rpm

Brakes and Clutch

- Brakes: Wet Multi Disc



Kioti CS2210 HST DESCRIPTION

Dimensions w/ AG Tire

- Length w/ 3-point hitch: 99.3 in. (2,523 mm)
- Width: 46.7 in. (1,185 mm)
- From Top of the Highest Point: 88 in. (2,226 mm)
- Wheelbase: 55.1 in. (1,400 mm)
- Ground Clearance: 6.4 in. (162 mm)
- Front Tread Ag Tires - Min: 45.3 in. (1,150 mm)
- Rear Tread Ag Tires - Min: 46.7 in. (1,185 mm)

Hydraulics

- Total Pump Flow: 6.5 gpm (24.6 L/min)
- Power Steering Pump Capacity: Hydrostatic

3-Point Hitch

- Standard Category (Optional Category): Cat. 1
- Maximum lifting capacity (24" aft. of hitch): 700 lb. (318 kg)
- Control Type: Position

Weight

- Weight w/ Ag Tires w/ ROPS: 1,485 lb. (675 kg)

Standard Equipment

- Mid PTO
- Rear PTO
- Joystick Valve (when loader is purchased with tractor)
- Power Steering
- PTO Cover
- Parking Brake
- Headlights
- Warning/Signal Lamps
- Horn
- Cup Holder
- SMV Sign

Instrument Panel

- Tachometer
- Fuel Gauge
- Temperature Gauge
- Low Fuel Warning Lamp

Available Tires

- Agricultural: 18 x 8.5 - 10; 26 x 12.00 - 12
- Turf: 18 x 8.5 - 10; 26 x 12.00 - 12
- Industrial: 18 x 8.5 - 10; 26 x 12.00 - 12

Attachments

- Front End Loaders : SL2410: Fits the KIOTI CS Series Sub-Compact tractors. Specifications may vary with tractor model, front axle configurations, tire size option and type of attachment and are subject to change without notification. Backhoes : SB2410L: Fits the KIOTI CS Series Sub Compact Tractor.



Kioti CS2210 HST

Stock #: 1047

AS IT SITS:

- CS2210 HST w/ Turf Tires
- SL2410-W Loader w/ 48" Bucket
- SM2454 54" Mid-Mount Mower
- Smith Package
 - Cutting Edge
 - RimGuard Tire Ballast
 - Lifting Ring Grease
 - Gun Delivery to your home!

~~Original Price:~~

~~\$22,050.00~~

Show Special Price:

\$20,525.00

****This Weekend Only****

APPLY FOR
FFFI | NAAA

dL financial solutions
partner



NGG