



Kioti CK3520SE

Kioti's Best Seller

Price for stock unit tractor, including hydrostatic transmission, four-wheel drive, choice of turf or R-14 tires, loader assembly and front bucket.



\$32,099.00

Optional "SMITH PACKAGE"

- Includes bolt on cutting edge: *Why would you want to have to weld a new edge on your bucket after a snowy winter scraping down the driveway??*
- Rim guard tire ballast: *We are huge believers in this product!! It transforms these tractors into safe stable material moving beasts.*
- We weld a lifting ring in the front bucket; once you have it you won't be able to live without it.
- A grease gun, full of grease.
- Delivery to your home or business along with a thorough rundown of tractor safety, preventive maintenance, and operation of your new tractor. We want you to be comfortable making the absolute most out of your new Kioti investment.

Cost \$1,200.00



Kioti CK3520SE

☐ KB2485 Backhoe and Subframe: \$10,500.00

Your choice of ☐ 9" Bucket ☐ 12" Bucket ☐ 16" Bucket

☐ 18" Bucket ☐ 24" Bucket ☐ 36" Bucket

☐ CKA165 Backhoe Thumb: \$600.00

☐ Rubber Street Pads: \$350.00

☐ SB66 Snowblower: \$9,500.00

☐ RT2560 60" Garden Tiller: \$4,200.00

☐ Post Hole Digger

☐ Pallet Forks: \$1,800.00

☐ 60" Box Blade: \$2,400.00

☐ CK R14 Tires

☐ CK Turf Tires

☐ Canopy Kit: \$510.00

☐ LED Light Kit: \$599.00

☐ Bolt On Cutting Edge: \$250.00

☐ 3rd Function Valve: \$1,200.00

☐ Block Heater: \$220.00

Prices noted above include installation.

**Prices on attachments and accessories are subject to change based on
manufacturer and availability.**



Kioti CK3520SE

DESCRIPTION

MAIN FEATURES

- Engine Gross Power: 34.9 hp (26 kW)
- PTO Type: Live
- Transmission Type: Hydrostatic
- Shuttle: Dry Dual Stage
- Kioti Diesel Engine
- Power Steering
- Foldable ROPS
- High-Capacity Hydraulic Pump
- Single Lever Joystick

FEATURES

- Kioti Diesel Engine: The new 34.9 hp (26 kW) diesel engine provides powerful performance and improves fuel efficiency while reducing noise levels.
- High-Capacity Hydraulic Pump: The high capacity, efficient tandem hydraulic pump gives you smoother handling in heavy-duty working conditions and helps to reduce operator fatigue.
- Power Steering: Responsive, powerful and comfortable steering reduces operator fatigue. The power steering system is robustly designed for maneuvering in soft soil and for front loader operation.
- Deluxe Seat: A fully adjustable suspension seat allows the operator to ride in comfort no matter what the job. A retractable seatbelt is standard on all Kioti tractors to ensure operator safety.
- Rear PTO: Rear PTO is standard and mid PTO is optional. You can select the rear or mid PTO separately or simultaneously.
- Single Lever Joystick: The operation of the front-end loader is made easier by the use of a single lever joystick. The joystick allows you to perform all loader functions with a single lever. The lever automatically returns to neutral, and the loader stops in place when the joystick is released. A float position allows bucket free flotation over the ground surface.
- Foldable ROPS: A fold-down roll bar allows you to move into tight areas quickly and easily.
- Simple Maintenance: Kioti tractors are designed for easy maintenance. Lifiable hoods and removable side panels allow convenient access for daily service checks. Maintaining your tractor for long life and high performance has never been easier.
- Center Marker: The center marker on the hood assists with maintaining straight rows.
- High Ground Clearance: The maximum ground clearance of 13.4 in. makes usage on rocky or uneven terrain simpler.
- Illuminated Dashboard: The illuminated dashboard ensures great visibility while working in bright daylight or at night. The operator can check important instrumentation at a glance with an easy-to-see tachometer, hour meter, fuel temperature gauge and battery charge lamp.
- 3-Point Control Lever: The 3-point control lever allows you to easily raise and lower the lift arms when attaching implements.
- HST Transmission with Twin HST Pedals: HST models feature performance proven, heavy-duty HST drives that deliver power and efficiently. The three-range transmission (Hi/Mid/Low) with twin pedal operation makes your job easier, smoother, and safer.



Kioti CK3520SE

DESCRIPTION

ENGINE

- Engine Model: 3H-TM4A
- Engine Gross Power: 34.9 HP (26 kW)
- Rated Speed: 2,600 rpm
- No. of Cylinders: 3
- Fuel Type: Diesel
- Displacement: 111.4 cu. in. (1,826 cc)
- Fuel Tank Capacity: 9.0 gal. (34 L)

TRANSMISSION

- Transmission Type: HST Transmission
- Main Gear: Manual
- No. of Travel Speeds - Forward / Reverse: Infinite, 3 Range
- Max. Travel Speed of Forward w/ Ag @ Engine rated speed: 14.88 mph (23.91 km/h)

POWER TAKE-OFF (PTO)

- PTO Type Trans: Live
- PTO Power: 28.9 HP (21.6 kW)
- Rear PTO Speeds (1st): 540 rpm
- Mid PTO Speeds: 2,000 rpm (Optional)

BRAKES AND CLUTCH

- Brakes: Wet Multi Disc
- Clutch: Dry Dual Stage

DIMENSIONS W/ AG TIRE

- Length w/ 3-point hitch: 120.87 in. (3,070 mm)
- Width: 54.5 in. (1,385 mm)
- Height from Top of ROPS: 92.91 in. (2,360 mm)
- Wheelbase: 65.7 in. (1,670 mm)
- Ground Clearance: 13.39 in. (340 mm)
- Front Tread Ag Tires - Min: 48.22 in. (1,225 mm)
- Rear Tread Ag Tires - Min: 47.04 in. (1,210 mm)
- Min. Turning Radius w/ Brake: 107.48 in. (2,730 mm)

HYDRAULICS

- Total Pump Flow: 11.73 gpm (44.4 L/min)

3-POINT HITCH

- Standard Category: Category 1
- Lift Capacity, 24" aft of hitch: 1,631 lb. (740 kg)
- Control Type: Position



Kioti CK3520SE

DESCRIPTION

WEIGHT

- Weight w/ Ag Tires w/ ROPS: 2,734 lbs. (1,240 kg)

STANDARD EQUIPMENT

- Power Steering
- Rear PTO
- Wet Multi Disc Brakes
- Joystick Valve
- Drawbar
- Headlights
- Parking Brake

OPTIONAL EQUIPMENT

- Front Weights
- Mid PTO
- HST Linked Pedal (HST Only)
- Clevis Type Drawbar
- Side View Mirror (1 ea.)
- Dual Remote Hydraulic Valve (Non-Detent)
- Dual Remote Hydraulic Valve (Spring/Detent/Dual Detent)
- Fuel Heater Kit (N/A on CK2620)
- Rear Wheel Weight (Ag Tire Only)
- 3rd Function Kit for Front End Loader

INSTRUMENT PANEL

- Digital Hour Meter
- Coolant Temperature Gauge
- Electrical Tachometer
- Fuel Gauge
- Engine Oil Pressure Light
- High Beam, Emergency Flasher, Direction Indicators
- Glow Plug Light
- Alternator Light



Kioti CK3520SE

DESCRIPTION

ATTACHMENTS

- Front End Loaders: Fits the CK20, CK20SE, CK10 and CK10SE Series models. The Kioti KL4030 front end loader is specifically designed for the model tractors in the CK20, CK20SE, CK10 and CK10SE Series, providing efficient performance with single lever joystick control. The Kioti loader, with a built-in parking stand, is designed to be quickly and easily attached and detached. KL Series loaders utilize the tractor's hydraulic system, feature single-lever control with float and come with a bucket level indicator. The KL4030 and KL4030C are both compatible with the Kioti CK10 and CK10SE Series. For product availability in your region, please see your authorized Kioti dealer for details. *Specifications may vary with tractor model, front axle configurations, tire size option and type of attachment and are subject to change without notification.
- Backhoes: KB2475L: Fits the Kioti CK2610, CK2610 HST, CK3510, CK3510 HST, CK4010, CK4010 HST. *Specifications may vary with tractor model, front axle configurations, tire size option and type of attachment and are subject to change without notification.
- Front End Loaders: Fits the CK10 Series Models. (CK3510/CK3510H/CK4010/CK4010H) The Kioti KL4010 front end loader is specifically designed for the CK10 Series tractors, providing efficient performance with single lever joystick control. The Kioti loader, with a built-in parking stand, is designed to be quickly and easily attached and detached. KL Series loaders utilize the tractor's hydraulic system, feature single-lever control with float and come with a bucket level indicator. *Specifications may vary with tractor model, front axle configurations, tire size option and type of attachment and are subject to change without notification.

NOTES

Front fenders are not available in North America.